


# maybree

Maybree® is the ultimate rigid core LVT flooring for your home. With Maybree®, you'll have it all in terms of styling, construction and performance. Our rigid core, HDC floating floor planks, with our NovaClic® locking system, is made extra thick (6mm) and is water resistant as well as dent resistant. We've even added an attached foam underlayment for sound barrier and comfort. And with NovaShield®, your new Maybree® floor will have the best protection possible.



### NEW! HDC NOVACLIC® 7.75"x71.45" PLANKS



Barrel Oak, Henley (V4)

NSP462-HDC



Barrel Oak, Hayes (V4) NSP463-HDC



Barrel Oak, Knox (V4)

NSP464-HDC



Barrel Oak, Presley (V4)

NSP465-HDC

### HDC NOVACLIC® 5" X 59.75" PLANKS



Castle Oak, Dover (V4)

NSP450-HDC



Castle Oak, Dudley (V4)

NSP451-HDC



Wormy Chestnut, Melbourne (V4)

NSP452-HDC



Wormy Chestnut, Sydney (V4)

NSP453-HDC

#### HDC NOVACLIC® 7.75" X 59.75" PLANKS



Sessile Oak, Bergen (V4)

NSP454-HDC



Sessile Oak, Dublin (V4)

NSP455-HDC




Sessile Oak, Reine (V4)

NSP456-HDC



Sessile Oak, Naples (V4)

NSP457-HDC



WASHED CONCRETE, AXEL

### NEW! HDC NOVACLIC® 15.75" X 31.75" TILES







Lunar Marble, Harlow (V4)

NST481-HDC



Lunar Marble, Willa (V4)

NST482-HDC



Lunar Marble, Hutton (V4)

NST483-HDC



Washed Concrete, Axel (V4)

NST484-HDC



Washed Concrete, Gage (V4)

NST485-HDC



# serenbe

With Serenbe® flooring, the choice is always yours with any style, color, size or installation. Serenbe® is available in either a flexible glue down or as a rigid core HDC floating floor with our NovaClic® locking system and attached foam underlayment. Serenbe® comes equipped with the industry's best protection against scratches and abrasions with our NovaShield® coating.



## FLEXIBLE GLUE DOWN (FGD) 12" X 24" TILES HDC NOVACLIC® 11.75" X 23.75" TILES



Carrara Marble, Pure (V2)

FGD: NST430 HDC: NST430-HDC



Carrara Marble, Simple (V2)

FGD: NST431 HDC: NST431-HDC



Stenciled Concrete, Lace (V3)

FGD: NST432 HDC: NST432-HDC



Stenciled Concrete, Linen (V3)

FGD: NST433 HDC: NST433-HDC



Stenciled Concrete, Orleans (V3)

FGD: NST434 HDC: NST434-HDC



Stenciled Concrete, Bordeaux (V3)

FGD: NST435 HDC: NST435-HDC

FLEXIBLE GLUE DOWN (FGD) 12" X 36" TILES HDC NOVACLIC® 11.75" X 35.75" TILES



Calacatta Marble, Copper (V3)

FGD: NST440 HDC: NST440-HDC



Calacatta Marble, Nickel (V3)

FGD: NST441 HDC: NST441-HDC



Crackled Wood, Billow (V4)

FGD: NST442 HDC: NST442-HDC



Crackled Wood, Gravel (V4)

FGD: NST443 HDC: NST443-HDC



Crackled Wood, Thicket (V4)


FGD: NST444 HDC: NST444-HDC



Crackled Wood, Timber (V4)

FGD: NST445 HDC: NST445-HDC

CARRARA MARBLE, NICKEL



COTTAGE PINE, CHAR

## FLEXIBLE GLUE DOWN (FGD) 7" X 48" PLANKS HDC NOVACLIC® 7" X 47.75" PLANKS



Canadian Walnut, Trinity (V3)

FGD: NSP401 HDC: NSP401-HDC



Canadian Walnut, Digby (V3)

FGD: NSP402 HDC: NSP402-HDC



English Walnut, Stratford (V4)

FGD: NSP403 HDC: NSP403-HDC



English Walnut, Wembley (V4)

FGD: NSP404 HDC: NSP404-HDC

## FLEXIBLE GLUE DOWN (FGD) 7" X 48" PLANKS HDC NOVACLIC® 7" X 47.75" PLANKS



Urban Oak, Selbourne (V3)

FGD: NSP405 HDC: NSP405-HDC



Urban Oak, Grange (V3)

FGD: NSP406 HDC: NSP406-HDC



Urban Oak, Flynn (V3)

FGD: NSP407 HDC: NSP407-HDC



Urban Oak, Porter (V3)

FGD: NSP408 HDC: NSP408-HDC

## FLEXIBLE GLUE DOWN (FGD) 7" X 48" PLANKS HDC NOVACLIC® 7" X 47.75" PLANKS



Cottage Pine, Blanch (V4)

FGD: NSP409 HDC: NSP409-HDC



Cottage Pine, Husk (V4)

FGD: NSP410 HDC: NSP410-HDC



Cottage Pine, Clay (V4)

FGD: NSP411 HDC: NSP411-HDC




Cottage Pine, Char (V4)

FGD: NSP412 HDC: NSP412-HDC



## NO CORE

The NovaCore® collection is the HPC luxury vinyl floor plank that's rigid, waterproof and installs over most subfloor imperfections. Choose from standard sized or X-Large planks made with quality High Performance Core (HPC) Technology by NovaFloor®.



## NOVACORE®

### HPC NOVACLIC® 5.75"X47.75" PLANKS







Williamsburg (V3) NNC-502



Apple, Caramel (V3) NNC-503



Rustic Pine, Hazelnut (V2) NNC-504



Rustic Jade (V2) NNC-505



Barnwood (V2) NNC-506



Weathered Oak, Bungalow (V2)



Weathered Oak, Cabin (V3)

NNC-507

NNC-508

## NOVACORE® XL

### HPC NOVACLIC® 8.75" X 59.45" PLANKS



Refined Walnut, Waverly (V4)

NNC-509



Refined Walnut, Ellis (V4)

NNC-510



European Oak, Lorimer (V2)

NNC-511



Refined Birch, Cognac (V1)

NNC-512

## NOVACORE® XL

### HPC NOVACLIC® 8.75" X 59.45" PLANKS



Old World Oak, Smoke (V2)

NNC-513



Old World Oak, Chocolate (V2)

NNC-514



Crescent Heart Pine, Honey (V4)

NNC-515



Crescent Heart Pine, Sandie (V3)

NNC-516



## Lyndon

Lyndon® is available in flexible glue down installation or as an easy-to-install floating floor with NovaClic® locking system (planks only) with our rigid HDC (High Density Core). Lyndon® with HDC Technology is waterproof, resists denting, and hides most common subfloor imperfections.





## LYNDON®

## FLEXIBLE GLUE DOWN (FGD) 6" X 48" PLANKS HDC NOVACLIC® 5.75" X 47.75"



Provincial Oak, Williamsburg (V3)

FGD: NLP101 HDC: NLP101-HDC



Provincial Oak, Charleston (V2)

FGD: NLP102 HDC: NLP102-HDC



Provincial Oak, Boston (V3)

FGD: NLP103 HDC: NLP103-HDC



Provincial Oak, Richmond (V3)

FGD: NLP104 HDC: NLP104-HDC

## LYNDON®

## FLEXIBLE GLUE DOWN (FGD) 6" X 48" PLANKS HDC NOVACLIC® 5.75" X 47.75"



Classical Oak, Cambridge (V2)

FGD: NLP105 HDC: NLP105-HDC



Classical Oak, Rushmore (V2)

FGD: NLP106 HDC: NLP106-HDC



Classical Oak, Durham (V3)

FGD: NLP107 HDC: NLP107-HDC



Classical Oak, Hampton (V3)

FGD: NLP108 HDC: NLP108-HDC

## $LYNDON^{\, @}$

### FLEXIBLE GLUE DOWN (FGD) 12" X 24" TILES







Mountain Sandstone, Quincy (V3)

FGD: NLT121



Valley Riverstone, Athens (V3)



Valley Riverstone, Lexington (V3)

FGD: NLT123





## maybree.

SPECIFICATIONS	HDC NOVACLIC® FD (FOLD DOWN)
Overall Thickness	6.0mm w/ Foam Underlayment
Wear Layer Thickness	0.5mm (20 mil)
Tile Size	15.75" x 31.75"
Plank Size	5" x 59.75"
Plank Size	7.75" x 59.75"
Plank Size	7.75" x 71.45"
Tile Packaging	6 pcs (20.84 sq. ft)
Plank Packaging	6 pcs. (12.45 sq. ft.)
Plank Packaging	6 pcs. (19.29 sq. ft.)
Plank Packaging	4 pcs (15.38 sq. ft)

















## serenbe

SPECIFICATIONS	FLEXIBLE GLUE DOWN (FGD)	HDC NOVACLIC® FD (FOLD DOWN)
Overall Thickness	2.5mm	5.5mm w/ Foam Underlayment
Wear Layer Thickness	0.3mm (12 mil)	0.3mm (12 mil)
Tile Size	12" x 24"	11.75" x 23.75"
Tile Size	12" x 36"	11.75" x 35.75"
Plank Size	7" x 48"	7" x 47.75"
Tile Packaging	18 pcs. (36 sq. ft.)	12 pcs. (23.26 sq. ft.)
Tile Packaging	12 pcs. (36 sq. ft.)	8 pcs. (23.34 sq. ft.)
Plank Packaging	16 pcs. (37.33 sq. ft.)	8 pcs. (18.57 sq. ft.)

























SPECIFICATIONS	HPC NOVACLIC® FD (FOLD DOWN)
Overall Thickness	5.0mm
Wear Layer Thickness	0.3mm (12 mil)
Plank Size	5.75" x 47.75"
X-Large Plank Size	8.75" x 59.45"
Plank Packaging	15 pcs. (28.60 sq. ft.)
X-Large Plank Packaging	8 pcs. (28.90 sq. ft.)















## Lyndon

SPECIFICATIONS	FLEXIBLE GLUE DOWN (FGD)	HDC NOVACLIC® (PLANKS ONLY)
Overall Thickness	2.0mm	3.2mm
Wear Layer Thickness	0.15mm (6mil)	0.15mm (6mil)
Tile Size	12" x 24"	N/A
Plank Size	6" x 48"	5.75" x 47.75"
Tile Packaging	24 pcs. (48 sq. ft.)	N/A
Plank Packaging	20 pcs. (40 sq. ft.)	12 pcs (22.88 sq. ft.)
















#### NOVAFLOOR® COORDINATED MOLDINGS

Nothing creates that finished, custom appearance better than coordinated moldings for your new NovaFloor® installation. To order, ask your NovaFloor® retailer for details. For advice on how to properly install moldings, go to installationadvice.com.

V1 has the least amount of variance. V4 has the most variance from tile to tile or plank to plank.



### NOVAFLOOR® APPEARANCE VARIABILITY RATING SYSTEM

Your satisfaction is always our top concern. So we don't want you to be surprised between the sample you see in the showroom and what you'll see across your finished floor. That's why we created the "Appearance Variability Rating System" on all our products in the form of a "V number" to help you know what to expect in the finished appearance of your new flooring.

Also, use our online visualizer at www.novafloor.us for additional visuals.



### At NovaFloor®, sustainability is about keeping:

### **People healthy**

- All our floors are FloorScore® certified for low VOC
- We are transparent about what we put into our products
- Our products are 100% phthalate-free

### The earth habitable

- 100% of production waste is recycled in a closed loop system.
- We use the cleanest fossil fuel energy available in the world today.
- 100% of production water is recycled

### ALWAYS TO THE HIGHEST STANDARDS















## RECOMMENDED USE

Choractic 3.2 Internal Agency of the County of the Land Charactic 5.5 Internal Land with took and 5 Internal Character of the Special Character of

### HEALTHCARE

	/ 🕅	/ 1/4	12	/ %	/ 50	1	/ 4	4
Operating Theatres	×	~	×	~	×	×	~	~
Intensive Care Units	×	×	×	×	×	×	×	×
Waiting Rooms	×	×	×	×	×	~	~	~
Patient Rooms	×	×	×	×	×	×	~	~
Corridors	×	×	×	×	×	×	~	~
Outpatient Departments	×	×	×	×	×	~	~	~
X-Ray Rooms and Computer Tomography	×	×	×	×	×	×	~	~
Laboratories	×	×	×	×	×	×	~	~
Administration	×	×	×	×	×	~	~	~
Elevators	×	×	×	×	×	×	~	~
Restrooms	×	×	×	×	×	×	~	~
Physical Therapy	×	×	×	×	×	~	~	~
Senior Living Rooms	×	×	~	×	~	~	~	~
Senior Living Corridors	×	×	×	×	×	×	~	~
Senior Living Multipurpose Rooms	×	×	×	×	×	~	~	~
Senior Living Dining Areas	×	×	×	×	×	×	~	~
Senior Living Therapy & Workout Rooms	×	×	×	×	×	~	~	~
Mental Institutions	×	×	×	×	×	×	~	~

#### **EDUCATION**

Classrooms	×	×	×	×	×	×	~	~
Auditoriums	×	×	×	×	×	×	~	~
Corridors	×	×	×	×	×	×	~	~
Libraries	×	×	×	×	×	~	~	~
Computer Rooms	×	×	×	×	×	~	~	~
Kindergarten/Nursery/Daycare	×	×	×	×	×	~	~	~
Multipurpose Room	×	×	×	×	×	~	~	~
Laboratories	×	×	×	×	×	×	~	~
Gymnasiums (non-competitive)	×	×	×	×	×	×	×	×
Stadium Corridors	×	×	×	×	×	×	~	~
Cafeterias	×	×	×	×	×	×	~	~
Elevators	×	×	×	×	×	×	~	~
Restrooms	×	×	×	×	×	×	~	~
Student Housing/Dorms	×	~	~	~	~	~	~	~

Please refer to installation and warranty instructions for adhesive recommendation and to confirm your application doesn't have special requirements. If you have a project or application not listed here, give us a call to find out what NovaFloor® product would suit your project best.

Manufacturing plant achieved ISO 14001 Certification and OHSAS 18001 Certification.

Pioneered manufacturing healthy and environmentally responsible flooring with no waste production in China.

CORPORATE / GOVERNMENT	, gri	lyn Lyn	da die da de	(Coril)	old Down 5. Carle D	our 2 Sent C	Active S. Str. Dovachie S. Dovach	nt Lithil with took of the specific to Order took of the specific took o	in with toam to the country of the c
Offices	×	×	×	~	~	~	~	~	
Meeting Rooms	×	×	×	~	~	~	~	~	
Museums	×	×	×	~	~	×	~	~	
Airports	×	×	×	×	×	×	~	~	
Server Rooms	×	×	×	×	×	×	~	~	

### HOSPITALITY

Lobby	×	×	×	×	×	~	~	~
Dining Room	×	×	×	×	×	×	~	~
Guest Rooms	×	×	~	~	~	~	~	~
Gym/Workout Area	×	×	×	~	×	~	~	~

#### RETAIL

Shops	×	×	×	~	~	~	~	~
Restaurants	×	×	×	~	~	~	~	~
Pharmacies	×	×	×	×	×	~	~	~
Banks	×	×	×	~	~	~	~	~
Grocery	×	×	×	×	×	×	~	~
Salons	×	×		~	~	~	~	~
Restrooms	×	×	×	~	~	~	~	~

### HOUSING

Multi-family	~	~	~	~	~	~	~	~
Single family	<b>~</b>	~	~	~	~	~	~	~
Basement	<b>~</b>	~	~	~	~	~	~	~
Bathroom	~	~	~	~	~	~	~	~
Living Room	~	~	~	~	~	~	~	~
Mud Room	<b>~</b>	~	~	~	~	~	~	~
Kitchen	<b>~</b>	~	~	~	~	~	~	~
Dining Room	<b>~</b>	~	~	~	~	~	~	~
Playroom	~	~	~	~	~	~	~	~
Laundry Room	~	~	~	~	~	~	~	~
Office	~	~	~	~	~	~	~	~

